

**ABCIXIMAB (REOPRO®) DOSING INFORMATION**

- BOLUS DOSE:** **0.25 mg/kg IV over 5 minutes, 10 to 60 minutes before start of PCI**
- *Withdraw dose from 10 mg/5mL vial (2 mg/mL)*
  - *Send kit with remaining drug in vial to pharmacy*
- CONTINUOUS INFUSION:** **0.125 mcg/kg/min (max dose 10 mcg/min) for 12 to 18 hours**
- *Pharmacy to prepare infusion as 7.2mg/250mL*
  - *For patients < 80 kg, set dose limit on pump if order to DC at 12 hours (Dose will be less than 250 mL)*

Patient Weight	Bolus Dose		Infusion Dose
	0.25 mg/kg  (Using 10mg/5mL vial)		0.125 mcg/kg/min (Max dose 10 mcg/min)  (Using 7.2mg/250mL infusion)
Kilograms (kg)	MG	mL	mL / hour
38 - 42	10	5	10.4
43 - 47	11.3	5.6	11.7
48 - 52	12.5	6.3	13
53 - 57	13.8	6.9	14.3
58 - 62	15	7.5	15.6
63 - 67	16.3	8.1	16.9
68 - 72	17.5	8.8	18.2
73 - 77	18.8	9.4	19.5
78 - 82	20	10	21
83 - 87	21.3	10.6	21
88 - 92	22.5	11.3	21
93 - 97	23.8	11.9	21
98 - 102	25	12.5	21
103 - 107	26.3	13.1	21
108 - 112	27.5	13.8	21
113 - 117	28.8	14.4	21
118 - 122	30	15	21
123 - 127	31.3	15.6	21
128 - 132	32.5	16.3	21
133 - 137	33.8	16.9	21
138 - 142	35	17.5	21
143 - 147	36.3	18.1	21
148 - 152	37.5	18.8	21

## EPTIFIBATIDE (INTEGRILIN®) DOSING INFORMATION

**BOLUS DOSE:** 180 mcg/kg (Max Dose 22.6 mg) IV over 1-2 minutes

- For PCI, repeat same bolus dose once in 10 min
- For Unstable Angina, do not repeat dose
- Withdraw dose from 20 mg/10 mL vial (2 mg/mL)

**CONTINUOUS INFUSION:** 2 mcg/kg/min (max dose 15 mg/H) for CrCl  $\geq$  50 mL/min  
1 mcg/kg/min (max dose 7.5 mg/H) for CrCl  $<$  50 mL/min

- Consult pharmacy for calculation of creatinine clearance (CrCl)
- Infusion available as Premix 75 mg/100mL
- After PCI, infusion to continue for 18 to 24 hours (check with physician)
- For Unstable angina, infusion may continue up to 72 to 96 hours (check with physician)

Patient Weight	Bolus Dose 180 mcg/kg (Max dose 22.6 mg) (Using 20mg/10mL vial)		Infusion Dose <u>2 mcg/kg/min</u> (Max dose 15 mg/H) (Using 75mg/100ml Premix)	Infusion Dose <u>1 mcg/kg/min</u> (Max dose 7.5 mg/H) (Using 75mg/100ml Premix)
	Kilograms (kg)	MG	mL	mL / hour
38 - 42	7.2	3.6	6.4	3.2
43 - 47	8.1	4.1	7.2	3.6
48 - 52	9	4.5	8	4
53 - 57	9.9	5	8.8	4.4
58 - 62	10.8	5.4	9.6	4.8
63 - 67	11.7	5.9	10.4	5.2
68 - 72	12.6	6.3	11.2	5.6
73 - 77	13.5	6.8	12	6
78 - 82	14.4	7.2	12.8	6.4
83 - 87	15.3	7.7	13.6	6.8
88 - 92	16.2	8.1	14.4	7.2
93 - 97	17.1	8.6	15.2	7.6
98 - 102	18	9	16	8
103 - 107	18.9	9.5	16.8	8.4
108 - 112	19.8	9.9	17.6	8.8
113 - 117	20.7	10.4	18.4	9.2
118 - 122	21.6	10.8	19.2	9.6
123 - 127	22.5	11.3	20	10
128 - 132	22.6	11.3	20	10
133 - 137	22.6	11.3	20	10
138 - 142	22.6	11.3	20	10
143 - 147	22.6	11.3	20	10
148 - 152	22.6	11.3	20	10

